How to Fail with Real-time Analytics



Matthew Housley CTO at Ternary Data @doctorhousley

About Me

- PhD in mathematics
- Co-founder of Ternary Data
- Coauthor: Fundamentals of Data Engineering




How to Fail with Real-time Analytics



Boil the Ocean








STROFESSOR BUTTS WALKS IN HIS SLEEP, STROLLS THROUGH A CACTUS FIELD IN HIS BARE FEET, AND SCREAMS OUT AN IDEA FOR A SELF-OPERATING NAPKIN.

As you raise spoon of soup (A) to your mouth it pulls string (B) thereby Jerking Ladle (C) which throws cracker (D) past parrot (E). Parrot jumps after cracker and perch(F) tilts, upsetting seeds (G)into pail (H). Extra weight in Pail pulls cord (I) which opens and lights automatic cigar lighter (I), setting off sky-rocket (K) which causes sickle (L) to cut string (M) and allow pendulum with attached napkin to swing back and forth thereby wiping off your. Chin.

AFTER THE MEAL, SUBSTITUTE A HARMONICA FOR THE NAPKIN AND YOU'LL BE ABLE TO ENTERTAIN THE GUESTS WITH A LITTLE MUSIC.




"Self-Operating Napkin"



Build Rube Goldberg Machines



Batch Model Load



Rube Goldberg Model Load



Don't Budget for Complexity







Ignore Business Value





Don't Use Real-time Native Capabilities



A Real-time Native Framework



Don't Set Appropriate Service Level Objectives





How to Fail with Real-time Analytics

- Boil the Ocean
- Build Rube Goldberg Machines
- Don't Budget for Complexity
- Ignore Business Value
- Don't Use Real-time Native Capabilities
- Don't Set Appropriate Service Level Objectives

Matthew Housley

QUESTIONS?

linkedin.com/in/housleymatthew/ Twitter: @doctorhousley



